

PATENT

AMENDMENTS TO THE CLAIMS

Please amend the claims as indicated in the following listing of all claims:

1. (Currently amended) A method of managing power consumption in a computing system having a plurality of performance states, including a maximum performance state and a plurality of other performance states that provide successively less performance capability for an integrated circuit, the method comprising:

determining utilization of the integrated circuit;

~~comparing the determined utilization to a threshold utilization value; and~~

~~if the determined utilization is above the threshold utilization value, entering a higher~~

~~predetermined performance state as a next performance state, always each time~~

~~the computing system determines that a higher performance state is required~~

~~based on the determined utilization while in each of the other performance states,~~

~~changing to a predetermined performance state, skipping at least one all~~

~~intermediate performance state states between a current performance state and the predetermined performance state.~~

2. (Original) The method as recited in claim 1 wherein the predetermined performance state is a maximum performance state.

3. (Original) The method as recited in claim 1 wherein the predetermined performance state is a near maximum performance state.

4. (Currently amended) The method as recited in claim 1 further comprising:

comparing the determined utilization to a threshold utilization value to determine if a higher performance state is required;

comparing the integrated circuit utilization to a second threshold utilization value; and

if the integrated circuit utilization is below the second threshold utilization value, always entering a next lower performance state as ~~[[the]]~~ a next performance state.

## PATENT

5. (Currently amended) The method as recited in claim 1 further comprising:  
comparing the determined utilization to a threshold utilization value to determine if a  
higher performance state is required;

comparing the integrated circuit utilization to a second threshold utilization value;  
if the integrated circuit utilization is below the second threshold utilization value,  
entering a lower performance state as [[the]] a next performance state, the lower  
performance state being determined according to integrated circuit utilization.

6. (Original) The method as recited in claim 4 wherein the performance state is  
lowered by reducing at least one of the voltage and frequency.

7. (Original) The method as recited in claim 1 wherein the performance state is  
reduced by reducing both voltage and clock frequency of the integrated circuit.

8. (Original) The method as recited in claim 1 wherein determining the utilization is  
done periodically.

9. (Original) The method as recited in claim 1 wherein the integrated circuit  
includes a central processing unit.

10. (Currently amended) A computing system comprising:  
an integrated circuit having multiple performance states including a maximum  
performance state and multiple lesser performance states;  
wherein the computing system is operable to determine utilization of the integrated  
circuit; and  
wherein the computing system is operable, each time the computing system determines  
that a higher performance state is required while in each of the multiple lesser  
performance states, to change to the maximum performance state, skipping any  
intermediate performance states between a current one of the multiple lesser  
performance states and the maximum performance state to change from a current  
performance state to a higher target performance state, skipping any intermediate  
performance state states between the current performance state and the target

## PATENT

~~performance state, in response to a determination that the utilization is above a threshold utilization value, the target performance state being the same for all performance increases, and wherein the utilization of the integrated circuit in the intermediate performance state is greater than the utilization of the integrated circuit in the current performance state.~~

11. (Canceled)

12. (Canceled)

13. (Canceled)

14. (Original) The computing system as recited in claim 10 wherein each of the performance states is defined by a unique voltage and frequency combination.

15. (Original) The computing system as recited in claim 10 wherein the integrated circuit includes a central processing unit (CPU).

16. (Currently amended) The computing system as recited in claim 11 further comprising:

~~a third~~ an instruction sequence operable to change operation of the integrated circuit from the current performance state to a target lower performance state in response to a determination that the utilization is below a second threshold utilization value.

17. (Original) The computing system as recited in claim 16 wherein the target lower performance state is one of a plurality of lower performance states determined according to CPU utilization.

18. (Original) The computing system as recited in claim 16 wherein the lower performance state is always a next lower performance state.

## PATENT

19. (Currently amended) A computing system comprising:  
an integrated circuit having multiple performance states;  
means for determining utilization of the integrated circuit; and  
means for changing, while in each of the performance states other than a maximum performance state, from a current performance state to the maximum performance state, skipping all intermediate performance states between the current performance state and the maximum performance state, each time the computing system determines that a higher performance is required based on the determined utilization ~~comparing the utilization to a first threshold utilization value and for always changing operation from a current performance state to a same higher predetermined performance state always skipping at least one intermediate performance state regardless of the current performance state, in response to a determination that the utilization is above a threshold utilization value.~~
20. (Canceled)
21. (Original) The computing system as recited in claim 19 further comprising:  
means for determining that the utilization is below a second threshold value and for  
always changing operation of the integrated circuit from the current performance state to a next lowest performance state in response to a determination that the utilization is below a second threshold utilization value.
22. (Original) The computing system as recited in claim 19 further comprising:  
means for determining that the utilization is below a second threshold value and for  
changing operation of the integrated circuit from the current performance state to a lower performance state in response to a determination that the utilization is below a second threshold utilization value, the lower performance state being determined according to the integrated circuit utilization.

## PATENT

23. (Currently amended) A computer program product encoded on a computer readable medium comprising:

a first instruction sequence operable on a processor having ~~multiple~~ a plurality of lower performance states and a maximum performance state, to determine utilization of the processor; and

a second instruction sequence operable to change from a current one of the lower performance states ~~state~~ to a ~~higher target~~ the maximum performance state, ~~always skipping at least one intermediate~~ any performance state between the current one of the lower performance state states and the ~~target~~ maximum performance state, in response to each determination that a performance increase is required while in each of the lower performance states ~~a determination that the utilization is above a threshold utilization value, the target performance state being the same for all performance increases.~~

24. (Original) The computer program product as recited in claim 23, wherein the computer readable medium is selected from the set of a disk, tape or other magnetic, optical, electronic storage medium, network, wireline, wireless or other communications medium.

25. (Canceled)

26. (Original) The computer program product as recited in claim 23 further comprising:

a third instruction sequence operable to change operation of the processor from the current performance state to a target lower performance state in response to a determination that the utilization is below a second threshold utilization value.

27. (Original) The computer program product as recited in claim 26 wherein the target lower performance state is one of a plurality of lower performance states determined according to CPU utilization.

PATENT

28. (Original) The computer program product as recited in claim 26 wherein the lower performance state is always a next lower performance state.

29. (Canceled)

30. (Canceled)

31. (Canceled)

32. (Canceled)